

## MATERIAL SAFETY DATA SHEET

---

### 1. PRODUCT IDENTIFICATION AND COMPANY

---

Product Name	PETRO REFRIGANT 32
Product Type	Refrigerator Compressor Oils
Company	PT PETROMITRA PACIFIC INTERNUSA ALAM SUTER TOWN CENTER BLOK 10 H NO.18 Tlp : (021) 29211565, Fax: (021) 29211566

---

### 2. COMPOSITION

---

Mineral Oil Content	97.4%
Additives Content	2.6%

---

### 3. HAZARDS IDENTIFICATION

---

Human Health	Product is not hazardous
Eye Contact	Slightly irritant
Skin Contact	Prolonged or repeated contact may irritate skin
Inhalation	Repeated and repeated contact may irritate skin
Ingestion	Minimal toxicity
Safety Hazards	Not classified as flammable but will burn
Environmental Hazards	Not readily biodegradable

---

#### 4. FIRST AID

---

Eye Contact Flush eyes with large amount of water until irritation subsides. If irritation persists, get medical attention

Skin Contact Flush with large amount of water, use soap if available. Remove contaminated clothing. If irritation persists, get medical attention.

Inhalation Remove to fresh air. If rapid recovery does not occur, get medical attention

Ingestion Do not induce vomiting. If rapid recovery does not occur, get medical attention

---

#### 5. FIRE SAFETY

---

Flash Point <170°C

Flammable Limits LEL 1.0  
UEL 6.0

Autoignition Temp >220°C

Specific Hazards Not classified as flammable but will burn. Hazardous combustion product may include carbon monoxide, oxides of sulphur, and unidentified organic and inorganic compounds

Fire Fighting Use dry chemical, foam or carbon dioxide to extinguish fire. Water may cause splattering or frothing. Use water to cool and protect fire-exposed material. Wear protective equipment during fire fighting

## 6. ACCIDENTAL RELEASE MEASURES

---

Clean-up Procedures Stop the source of leak or release and contain spill if possible. Cover spill with generous amount of inert absorbent material such as sand or earth. Sweep up and remove to suitable, clearly marked containers for disposal in accordance with local regulations. Scrub contaminated area with detergent and water. Pick up liquid with additional absorbent material and dispose as above. Wear proper protective equipment during clean-up

---

## 7. HANDLING AND STORAGE

---

Handling Handling temperatures should not exceed 70°C. Wear proper safety protective equipment. Wash hands thoroughly after handling. Water contamination and spillage should be avoided.

Storage Storage temperatures should be maintained between 0 to 50°C. Odorous and toxic fumes may be evolved from decomposition of product if stored above the safe temperature.

---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

---

Exposure Limits Threshold Limit Values for oil mist is recommended to be controlled at 5 mg/m<sup>3</sup> or lower for exposure of 8 hours daily

Ventilation Use exhaust ventilation to keep below exposure limits

Eye Protection Wear safety glasses or face shields if splashing is likely to occur

Skin Protection Avoid repeated and prolonged contact with product. Use oil resistant gloves

Respiratory Not normally required unless in confined

Protection

Body Protection Use proper protection equipment to avoid contact. Wear PVC apron if splashes are likely to occur

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State Liquid  
Colour Clear & Bright  
Odour Characteristic mineral oil  
Vapour Pressure <0.5 Pa at 20°C  
Density 0.8853 g/cm<sup>3</sup> at 0.894°C  
Kinematic Viscosity @ 40°C 32.4 cSt  
Kinematic Viscosity @ 100°C 4.8 cSt  
Pour Point -36 °C  
Flash Point 162 °C  
pH of undiluted product Not available  
Auto-ignition temperature >220°C  
Solubility in water Negligible

---

## 10. STABILITY AND REACTIVITY

---

Stability Product is stable under normal use conditions  
Thermal Carbon monoxide, carbon dioxide, oxides of sulphur and nitrogen and Decomposition organic and inorganic compound may evolve when subject to heat or combustion  
Hazardous Will not occur under normal conditions  
Polymerisation

Incompatible Strong oxidizing agents. Strong acids  
Materials

---

## 11. TOXICOLOGICAL INFORMATION

---

Basis No toxicological data is available for this product. Information is provided based on the additives, other components and base stock used

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Oral

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Skin

Inhalation Repeated or prolonged exposure to oil mists may cause irritation

Eye Irritation Slight irritant

Skin Irritation Not a skin irritant unless repeated or prolonged contact

Respiratory Slight irritant

Irritation

Carcinogenicity No data to suggest that product is carcinogenic

Mutagenicity No data to suggest that product is mutagenic

Other Information Brief contact with used oil is not expected to have serious effect in humans if the oil is removed thoroughly by washing with soap and water

Used engine oils may contain harmful impurities that have accumulate during use. The concentration of such impurities will depend on use and they present risks to health and the environment on disposal. All used oils should be handled with caution and skin contact should be avoided

---

## 12. ECOLOGICAL INFORMATION

---

**Basis** No ecological data is available for this product. Information is provided base on the additives, other components and base stock used.

**Mobility** Liquid under most environmental conditions. Floats on water. It is absorbeb by soil and will not be mobile

**Persistence/** Not readily biodegradable. Major constituents are expected to be inherently Degradability be inherently biodegradable, but the product contains components that may persist in the environment

**Bioaccumulation** Has the potential to bioaccumulate

**Ecotoxicity** Poor soluble mixture. Practically non-toxic to aquatic organisms. May caused physical fouling of aquatic organisms

---

## 13. DISPOSAL CONSIDERATION

---

**Product Disposal** Used or waste oil should be recycled or disposed off in conformity to local disposal regulations. Contact local authorities for approved disposal contractor

**Container Disposal** Empty drums should be completely drained and sent to a drum reconditioner or properly disposed of. Non-reusable small containers should be recycled ordisposed of. Ensure conformity to local disposal regulations.

---

## 14. TRANSPORT INFORMATION

---

**General Information** Not dangerous for conveyance under UN, IMO, ADR/RID and IATA.ICAO codes

---

15. REGULATORY INFORMATION

---

Not Applicable.

---

16. OTHER INFORMATION

---

The above information is based on data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. Therefore, no warranty either expressed or implied of merchantability or fitness for particular purpose is made with respect to the product or the information contained herein.

## MATERIAL SAFETY DATA SHEET

---

### 1. PRODUCT IDENTIFICATION AND COMPANY

---

Product Name	PETRO REFRIGANT 46
Product Type	Refrigerator Compressor Oils
Company	PT PETROMITRA PACIFIC INTERNUSA ALAM SUTERA TOWN CENTER BLOK 10 H NO.18 Tlp : (021) 29211565, Fax: (021) 29211566

---

### 2. COMPOSITION

---

Mineral Oil Content	97.4%
Additives Content	2.6%

---

### 3. HAZARDS IDENTIFICATION

---

Human Health	Product is not hazardous
Eye Contact	Slightly irritant
Skin Contact	Prolonged or repeated contact may irritate skin
Inhalation	Repeated and repeated contact may irritate skin
Ingestion	Minimal toxicity
Safety Hazards	Not classified as flammable but will burn
Environmental Hazards	Not readily biodegradable



---

#### 4. FIRST AID

---

Eye Contact Flush eyes with large amount of water until irritation subsides. If irritation persists, get medical attention

Skin Contact Flush with large amount of water, use soap if available. Remove contaminated clothing. If irritation persists, get medical attention.

Inhalation Remove to fresh air. If rapid recovery does not occur, get medical attention

Ingestion Do not induce vomiting. If rapid recovery does not occur, get medical attention

---

#### 5. FIRE SAFETY

---

Flash Point >170°C

Flammable Limits LEL 1.0  
UEL 6.0

Autoignition Temp >220°C

Specific Hazards Not classified as flammable but will burn. Hazardous combustion product may include carbon monoxide, oxides of sulphur, and unidentified organic and inorganic compounds

Fire Fighting Use dry chemical, foam or carbon dioxide to extinguish fire. Water may cause splattering or frothing. Use water to cool and protect fire-exposed material. Wear protective equipment during fire fighting

## 6. ACCIDENTAL RELEASE MEASURES

---

Clean-up Procedures Stop the source of leak or release and contain spill if possible. Cover spill with generous amount of inert absorbent material such as sand or earth. Sweep up and remove to suitable, clearly marked containers for disposal in accordance with local regulations. Scrub contaminated area with detergent and water. Pick up liquid with additional absorbent material and dispose as above. Wear proper protective equipment during clean-up

---

## 7. HANDLING AND STORAGE

---

Handling Handling temperatures should not exceed 70°C. Wear proper safety protective equipment. Wash hands thoroughly after handling. Water contamination and spillage should be avoided.

Storage Storage temperatures should be maintained between 0 to 50°C. Odorous and toxic fumes may be evolved from decomposition of product if stored above the safe temperature.

---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

---

Exposure Limits Threshold Limit Values for oil mist is recommended to be controlled at 5 mg/m<sup>3</sup> or lower for exposure of 8 hours daily

Ventilation Use exhaust ventilation to keep below exposure limits

Eye Protection Wear safety glasses or face shields if splashing is likely to occur

Skin Protection Avoid repeated and prolonged contact with product. Use oil resistant gloves

Respiratory Not normally required unless in confined

Protection

Body Protection Use proper protection equipment to avoid contact. Wear PVC apron if splashes are likely to occur

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State Liquid  
Colour Clear & Bright  
Odour Characteristic mineral oil  
Vapour Pressure <0.5 Pa at 20°C  
Density 0.8853 g/cm<sup>3</sup> at 0.898°C  
Kinematic Viscosity @ 40°C 46.0 cSt  
Kinematic Viscosity @ 100°C 7.0 cSt  
Pour Point -33 °C  
Flash Point 177 °C  
pH of undiluted product Not available  
Auto-ignition temperature >220°C  
Solubility in water Negligible

---

## 10. STABILITY AND REACTIVITY

---

Stability Product is stable under normal use conditions  
Thermal Carbon monoxide, carbon dioxide, oxides of sulphur and nitrogen and Decomposition organic and inorganic compound may evolve when subject to heat or combustion  
Hazardous Will not occur under normal conditions  
Polymerisation

Incompatible Strong oxidizing agents. Strong acids  
Materials

---

## 11. TOXICOLOGICAL INFORMATION

---

Basis No toxicological data is available for this product. Information is provided based on the additives, other components and base stock used

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Oral

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Skin

Inhalation Repeated or prolonged exposure to oil mists may cause irritation

Eye Irritation Slight irritant

Skin Irritation Not a skin irritant unless repeated or prolonged contact

Respiratory Slight irritant

Irritation

Carcinogenicity No data to suggest that product is carcinogenic

Mutagenicity No data to suggest that product is mutagenic

Other Information Brief contact with used oil is not expected to have serious effect in humans if the oil is removed thoroughly by washing with soap and water

Used engine oils may contain harmful impurities that have accumulate during use. The concentration of such impurities will depend on use and they present risks to health and the environment on disposal. All used oils should be handled with caution and skin contact should be avoided

---

## 12. ECOLOGICAL INFORMATION

---

**Basis** No ecological data is available for this product. Information is provided base on the additives, other components and base stock used.

**Mobility** Liquid under most environmental conditions. Floats on water. It is absorbeb by soil and will not be mobile

**Persistence/ Degradability** Not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment

**Bioaccumulation** Has the potential to bioaccumulate

**Ecotoxicity** Poor soluble mixture. Practically non-toxic to aquatic organisms. May caused physical fouling of aquatic organisms

---

## 13. DISPOSAL CONSIDERATION

---

**Product Disposal** Used or waste oil should be recycled or disposed off in conformity to local disposal regulations. Contact local authorities for approved disposal contractor

**Container Disposal** Empty drums should be completely drained and sent to a drum reconditioner or properly disposed of. Non-reusable small containers should be recycled or disposed of. Ensure conformity to local disposal regulations.

---

## 14. TRANSPORT INFORMATION

---

**General Information** Not dangerous for conveyance under UN, IMO, ADR/RID and IATA/ICAO codes

---

15. REGULATORY INFORMATION

---

Not Applicable.

---

16. OTHER INFORMATION

---

The above information is based on data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. Therefore, no warranty either expressed or implied of merchantability or fitness for particular purpose is made with respect to the product or the information contained herein.

## MATERIAL SAFETY DATA SHEET

---

### 1. PRODUCT IDENTIFICATION AND COMPANY

---

Product Name            PETRO REFRIGANT 68  
Product Type            Refrigerator Compressor Oils  
Company                 PT PETROMITRA PACIFIC INTERNUSA  
                                 ALAM SUTERA TOWN CENTER BLOK 10 H NO.18  
                                 Tlp : (021) 29211565, Fax: (021) 29211566

---

### 2. COMPOSITION

---

Mineral Oil Content    97.4%  
Additives Content      2.6%

---

### 3. HAZARDS IDENTIFICATION

---

Human Health            Product is not hazardous  
Eye Contact              Slightly irritant  
Skin Contact              Prolonged or repeated contact may irritate skin  
Inhalation                Repeated and repeated contact may irritate skin  
Ingestion                 Minimal toxicity  
Safety Hazards            Not classified as flammable but will burn  
Environmental            Not readily biodegradable  
Hazards

---

#### 4. FIRST AID

---

Eye Contact Flush eyes with large amount of water until irritation subsides. If irritation persists, get medical attention

Skin Contact Flush with large amount of water, use soap if available. Remove contaminated clothing. If irritation persists, get medical attention.

Inhalation Remove to fresh air. If rapid recovery does not occur, get medical attention

Ingestion Do not induce vomiting. If rapid recovery does not occur, get medical attention

---

#### 5. FIRE SAFETY

---

Flash Point >170°C

Flammable Limits LEL 1.0  
UEL 6.0

Autoignition Temp >220°C

Specific Hazards Not classified as flammable but will burn. Hazardous combustion product may include carbon monoxide, oxides of sulphur, and unidentified organic and inorganic compounds

Fire Fighting Use dry chemical, foam or carbon dioxide to extinguish fire. Water may cause splattering or frothing. Use water to cool and protect fire-exposed material. Wear protective equipment during fire fighting



## 6. ACCIDENTAL RELEASE MEASURES

---

Clean-up Procedures Stop the source of leak or release and contain spill if possible. Cover spill with generous amount of inert absorbent material such as sand or earth. Sweep up and remove to suitable, clearly marked containers for disposal in accordance with local regulations. Scrub contaminated area with detergent and water. Pick up liquid with additional absorbent material and dispose as above. Wear proper protective equipment during clean-up

---

## 7. HANDLING AND STORAGE

---

Handling Handling temperatures should not exceed 70°C. Wear proper safety protective equipment. Wash hands thoroughly after handling. Water contamination and spillage should be avoided.

Storage Storage temperatures should be maintained between 0 to 50°C. Odorous and toxic fumes may be evolved from decomposition of product if stored above the safe temperature.

---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

---

Exposure Limits Threshold Limit Values for oil mist is recommended to be controlled at 5 mg/m<sup>3</sup> or lower for exposure of 8 hours daily

Ventilation Use exhaust ventilation to keep below exposure limits

Eye Protection Wear safety glasses or face shields if splashing is likely to occur

Skin Protection Avoid repeated and prolonged contact with product. Use oil resistant gloves

Respiratory Not normally required unless in confined

Protection

Body Protection Use proper protection equipment to avoid contact. Wear PVC apron if splashes are likely to occur

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State Liquid  
Colour Clear & Bright  
Odour Characteristic mineral oil  
Vapour Pressure <0.5 Pa at 20°C  
Density 0.8853 g/cm<sup>3</sup> at 0.901°C  
Kinematic Viscosity @ 40°C 66.6 cSt  
Kinematic Viscosity @ 100°C 8.0 cSt  
Pour Point -27 °C  
Flash Point 242 °C  
pH of undiluted product Not available  
Auto-ignition temperature >220°C  
Solubility in water Negligible

---

## 10. STABILITY AND REACTIVITY

---

Stability Product is stable under normal use conditions  
Thermal Carbon monoxide, carbon dioxide, oxides of sulphur and nitrogen and Decomposition organic and inorganic compound may evolve when subject to heat or combustion  
Hazardous Will not occur under normal conditions  
Polymerisation

Incompatible Strong oxidizing agents. Strong acids  
Materials

---

## 11. TOXICOLOGICAL INFORMATION

---

Basis No toxicological data is available for this product. Information is provided based on the additives, other components and base stock used

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Oral

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Skin

Inhalation Repeated or prolonged exposure to oil mists may cause irritation

Eye Irritation Slight irritant

Skin Irritation Not a skin irritant unless repeated or prolonged contact

Respiratory Slight irritant

Irritation

Carcinogenicity No data to suggest that product is carcinogenic

Mutagenicity No data to suggest that product is mutagenic

Other Information Brief contact with used oil is not expected to have serious effect in humans if the oil is removed thoroughly by washing with soap and water

Used engine oils may contain harmful impurities that have accumulate during use. The concentration of such impurities will depend on use and they present risks to health and the environment on disposal. All used oils should be handled with caution and skin contact should be avoided

---

## 12. ECOLOGICAL INFORMATION

---

**Basis** No ecological data is available for this product. Information is provided base on the additives, other components and base stock used.

**Mobility** Liquid under most environmental conditions. Floats on water. It is absorbeb by soil and will not be mobile

**Persistence/ Degradability** Not readily biodegradable. Major constituents are expected to be inherently Degradability be inherently biodegradable, but the product contains components that may persist in the environment

**Bioaccumulation** Has the potential to bioaccumulate

**Ecotoxicity** Poor soluble mixture. Practically non-toxic to aquatic organisms. May caused physical fouling of aquatic organisms

---

## 13. DISPOSAL CONSIDERATION

---

**Product Disposal** Used or waste oil should be recycled or disposed off in conformity to local disposal regulations. Contact local authorities for approved disposal contractor

**Container Disposal** Empty drums should be completely drained and sent to a drum reconditioner or properly disposed of. Non-reusable small containers should be recycled or disposed of. Ensure conformity to local disposal regulations.

---

## 14. TRANSPORT INFORMATION

---

**General Information** Not dangerous for conveyance under UN, IMO, ADR/RID and IATA.ICAO codes

---

15. REGULATORY INFORMATION

---

Not Applicable.

---

16. OTHER INFORMATION

---

The above information is based on data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. Therefore, no warranty either expressed or implied of merchantability or fitness for particular purpose is made with respect to the product or the information contained herein.

## MATERIAL SAFETY DATA SHEET

---

### 1. PRODUCT IDENTIFICATION AND COMPANY

---

Product Name            PETRO REFRIGANT 100  
Product Type            Refrigerator Compressor Oils  
Company                 PT PETROMITRA PACIFIC INTERNUSA  
                                 ALAM SUTERA TOWN CENTER BLOK 10 H NO.18  
                                 Tlp : (021) 29211565, Fax: (021) 29211566

---

### 2. COMPOSITION

---

Mineral Oil Content    97.4%  
Additives Content      2.6%

---

### 3. HAZARDS IDENTIFICATION

---

Human Health            Product is not hazardous  
Eye Contact              Slightly irritant  
Skin Contact              Prolonged or repeated contact may irritate skin  
Inhalation                Repeated and repeated contact may irritate skin  
Ingestion                 Minimal toxicity  
Safety Hazards            Not classified as flammable but will burn  
Environmental            Not readily biodegradable  
Hazards

---

#### 4. FIRST AID

---

Eye Contact Flush eyes with large amount of water until irritation subsides. If irritation persists, get medical attention

Skin Contact Flush with large amount of water, use soap if available. Remove contaminated clothing. If irritation persists, get medical attention.

Inhalation Remove to fresh air. If rapid recovery does not occur, get medical attention

Ingestion Do not induce vomiting. If rapid recovery does not occur, get medical attention

---

#### 5. FIRE SAFETY

---

Flash Point >170°C

Flammable Limits LEL 1.0  
UEL 6.0

Autoignition Temp >220°C

Specific Hazards Not classified as flammable but will burn. Hazardous combustion product may include carbon monoxide, oxides of sulphur, and unidentified organic and inorganic compounds

Fire Fighting Use dry chemical, foam or carbon dioxide to extinguish fire. Water may cause splattering or frothing. Use water to cool and protect fire-exposed material. Wear protective equipment during fire fighting

## 6. ACCIDENTAL RELEASE MEASURES

---

**Clean-up Procedures** Stop the source of leak or release and contain spill if possible. Cover spill with generous amount of inert absorbent material such as sand or earth. Sweep up and remove to suitable, clearly marked containers for disposal in accordance with local regulations. Scrub contaminated area with detergent and water. Pick up liquid with additional absorbent material and dispose as above. Wear proper protective equipment during clean-up

---

## 7. HANDLING AND STORAGE

---

**Handling** Handling temperatures should not exceed 70°C. Wear proper safety protective equipment. Wash hands thoroughly after handling. Water contamination and spillage should be avoided.

**Storage** Storage temperatures should be maintained between 0 to 50°C. Odorous and toxic fumes may be evolved from decomposition of product if stored above the safe temperature.

---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

---

**Exposure Limits** Threshold Limit Values for oil mist is recommended to be controlled at 5 mg/m<sup>3</sup> or lower for exposure of 8 hours daily

**Ventilation** Use exhaust ventilation to keep below exposure limits

**Eye Protection** Wear safety glasses or face shields if splashing is likely to occur

**Skin Protection** Avoid repeated and prolonged contact with product. Use oil resistant gloves

**Respiratory** Not normally required unless in confined

**Protection**

**Body Protection** Use proper protection equipment to avoid contact. Wear PVC apron if splashes are likely to occur

---



## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State Liquid  
Colour Clear & Bright  
Odour Characteristic mineral oil  
Vapour Pressure <0.5 Pa at 20°C  
Density 0.8853 g/cm<sup>3</sup> at 0.903°C  
Kinematic Viscosity @ 40°C 100.1 cSt  
Kinematic Viscosity @ 100°C 9.0 cSt  
Pour Point -24 °C  
Flash Point 198 °C  
pH of undiluted product Not available  
Auto-ignition temperature >220°C  
Solubility in water Negligible

---

## 10. STABILITY AND REACTIVITY

---

Stability Product is stable under normal use conditions  
Thermal Carbon monoxide, carbon dioxide, oxides of sulphur and nitrogen and Decomposition organic and inorganic compound may evolve when subject to heat or combustion  
Hazardous Will not occur under normal conditions  
Polymerisation

Incompatible Strong oxidizing agents. Strong acids  
Materials

---

## 11. TOXICOLOGICAL INFORMATION

---

Basis No toxicological data is available for this product. Information is provided based on the additives, other components and base stock used

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Oral

Acute Exposure LD 50 expected to be above 2000 mg/kg.

- Skin

Inhalation Repeated or prolonged exposure to oil mists may cause irritation

Eye Irritation Slight irritant

Skin Irritation Not a skin irritant unless repeated or prolonged contact

Respiratory Slight irritant

Irritation

Carcinogenicity No data to suggest that product is carcinogenic

Mutagenicity No data to suggest that product is mutagenic

Other Information Brief contact with used oil is not expected to have serious effect in humans if the oil is removed thoroughly by washing with soap and water

Used engine oils may contain harmful impurities that have accumulate during use. The concentration of such impurities will depend on use and they present risks to health and the environment on disposal. All used oils should be handled with caution and skin contact should be avoided

---

## 12. ECOLOGICAL INFORMATION

---

**Basis** No ecological data is available for this product. Information is provided base on the additives, other components and base stock used.

**Mobility** Liquid under most environmental conditions. Floats on water. It is absorbeb by soil and will not be mobile

**Persistence/ Degradability** Not readily biodegradable. Major constituents are expected to be inherently Degradability be inherently biodegradable, but the product contains components that may persist in the environment

**Bioaccumulation** Has the potential to bioaccumulate

**Ecotoxicity** Poor soluble mixture. Practically non-toxic to aquatic organisms. May caused physical fouling of aquatic organisms

---

## 13. DISPOSAL CONSIDERATION

---

**Product Disposal** Used or waste oil should be recycled or disposed off in conformity to local disposal regulations. Contact local authorities for approved disposal contractor

**Container Disposal** Empty drums should be completely drained and sent to a drum reconditioner or properly disposed of. Non-reusable small containers should be recycled or disposed of. Ensure conformity to local disposal regulations.

---

## 14. TRANSPORT INFORMATION

---

**General Information** Not dangerous for conveyance under UN, IMO, ADR/RID and IATA.ICAO codes

---

15. REGULATORY INFORMATION

---

Not Applicable.

---

16. OTHER INFORMATION

---

The above information is based on data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. Therefore, no warranty either expressed or implied of merchantability or fitness for particular purpose is made with respect to the product or the information contained herein.